

Legislative Assembly.
QUEENSLAND.

REGISTRATION OF BIRTHS, MARRIAGES, & DEATHS.

(FIRST ANNUAL REPORT FOR THE YEAR ENDING 31ST DECEMBER, 1860).

Ordered by the Executive Council to be Printed, 25th January, 1861.

THE REGISTRAR-GENERAL to THE HONORABLE THE COLONIAL-SECRETARY.

*Registrar-General's Office,
Brisbane, 13th February, 1861.*

SIR,

I do myself the honor of transmitting to you, for presentation to Parliament, the first Annual report on the Registration of Births, Marriages, and Deaths, in this Colony, for the year ending 31st December, 1860.

2. Statistical Records are, year by year, attracting a larger share of public attention in all civilized communities, until they now form the best criterion by which to estimate and measure, as well by their own completeness as by their detailed contents, the progress each has made in the march of civilization. To them, Statesmen willingly accord the credit of bringing to light many hidden errors in the principles of Government, and they have disclosed startling and unexpected facts, bearing on the moral, sanitary, and social condition of every community which has authorized and provided for their compilation.

3. The most important of these records, at least, in a young country, are those which relate to human life, its ailments, and its duration, and which point out both the probable causes of its abbreviation and the means most conducive to its prolongation; it is, therefore, a subject of sincere congratulation, that the Government of this Colony should have taken early steps to provide for the compilation and publication of a reliable record of its Vital Statistics from the first day of its separate existence. Had this been done in Sydney, the unhealthy condition of that town, arising from bad drainage, would have been detected at a time when it was far easier of remedy than it now is, and many lives and vast expense would have been saved.

4. If the intentions of the Legislature be carried out and these records be compiled, with that attention to correctness their value deserves, they will, in a few years, furnish accurate information on many highly important subjects. The effects of the climate in different parts of the Colony on the constitutions of our countrymen, the length of life, the prevailing diseases, the sanitary condition of the towns, and the increase of population, from natural causes, are among the direct results that will be obtained; but a valuable mass of information will also be collected, bearing indirectly on the social, moral, and educational condition of the inhabitants of Queensland, and periodically detailing, "it is to be hoped," their rapid increase in numbers, wealth, and education, and the proportional diminution of vice and crime.

5. I feel very forcibly the heavy responsibility that has devolved on me of commencing an independent series of statistical records. I, however, confidently believe that the annexed tables, most carefully prepared by the Deputy-Registrar, will be found to contain sufficient correct information to meet the expectations of the Legislature, and to enable this report to take a creditable place on the same shelf with the admirable and voluminous records compiled and published by the Registrars of our sister colonies of Australia, to whose previous labours in the same field I am so much indebted for guidance and assistance.

6. I conceive it to be my first duty to draw the attention of Parliament to some important alterations required both in the Marriage Act, 19th Vic., No. 30, and the Registration Act, 19th Vic., No. 34, and which have been repeatedly pointed out by the Registrar-General of New South Wales, who soon became aware of their necessity and has lost no opportunity of bringing them under the notice of his Government. Five years' experience has confirmed the reasonableness of his early apprehensions, and the results which he could at first only point to as likely to occur, it can now be shown have come to pass. I trust the subject may not be suffered, in Queensland, to slumber so long as it has been permitted to do in New South Wales.

1st—There is little or nothing in either the Marriage or the Registration Act to prevent any, the most unfit or improper person, from claiming to be placed on the Register as a minister of religion, authorized to celebrate marriages, the words of the 11th Clause of the Registration Act compel the Registrar-General to register, "as such minister" any person who applies for it, and who represents himself in writing to be a minister of any religious sect or denomination, and ordinarily officiating as such; it is true that the 16th Clause imposes a heavy penalty on any person who falsely passes himself off as such minister, but I fear that the language of the 11th Clause is so large as to render a conviction, except in some barefaced case, a matter of extreme difficulty. It does not even seem that the Registrar-General could refuse to Register as such minister, any Mahometan, Buddhist, or other Pagan advocate for a multiplicity of wives, who represented himself as an ordinarily officiating minister of his religion. N.B.—"Distinct provisions have been made in the 8th and 9th Sections of the Marriage Act, legalising marriages between Quakers or Jews." The 6th Clause of the Marriage Act is introduced to mitigate evils that might ensue from the marriage ceremony being performed by a person falsely personifying a minister of religion; but this only partly cures the evil, to meet which it seems necessary that the Registrar-General should have power to demand satisfactory proof that the applicant's statements regarding himself are correct, before being required to Register him; and, also, that the Registrar-General should have power, at any time, to cancel such Registration, as a punishment for wilful inattention to, or disregard of the provisions of the Marriage Act.

2nd—A serious deficiency exists in the form of Marriage Certificate given in the Marriage Act, by which it is made very easy for a minor to defeat the law, and to succeed in getting married without the knowledge or consent of parent or guardian. The Certificate does not contain on its face any distinct declaration of the age of either party, and simple silence defeats the object of the 10th Clause. The Act, moreover, omits to state how, or by whom, or before what tribunal the penalties with which it threatens those who marry minors without legal written consent are to be sued for, recovered, or levied, and this legal process, which ought to be as simple and summary as possible, is rendered intricate and uncertain. The Registrar-General of New South Wales, so far back as his Second Annual Report, Folio 7, Clause 14, says (and my short experience already enables me to confirm his statement), that "he has reason to believe that the provisions of the law, which require the written consent of the parent or guardian, are not duly regarded, and, that two or three instances of marriages irregularly celebrated in this respect had already come to light." This, he adds, requires the prompt application of a remedy, or great social evil and private unhappiness will ensue from the clandestine marriage of minors. He also gives, in the same Report, a form of certificate, which he framed to meet this objection as well as to supply all required statistical information. A copy of this amended form will be found in the Appendix marked P, and I would recommend it to be substituted for the one now in use.

3rd—Connected with the same subject, and equally requiring alteration, is the power possessed by any parties of insisting on being married by the Registrar on the spot; the possibility of any timely enquiries being made, or of any publicity being given to the marriage, is thus quite destroyed. A Select Committee of the Legislative Council of New South Wales, in their Report to that House on the Marriage Laws, presented in the year 1853, particularly recommended that at least ten days notice should be given, so as to give to parents or guardians the opportunity of objecting, in cases of minority or other disabilities. It is difficult to conceive why so beneficial a recommendation was not attended to when the present Act was framed. The required publicity might be obtained by exposing, for a stated period, a notice outside the doors of the Registration Office and of the Supreme Court, or some other public building.

4th—An objection has been taken by the Registrar-General of New South Wales to the solemn declaration required to be taken in certain cases by the 22nd Clause of the Registration Act, that it gives extra trouble with no corresponding ad-

vantage, is not calculated to gain the object sought, and is useless, and he recommends that it should either be entirely dispensed with, or that a fine of five shillings be levied, as is the case in South Australia. The solemn declaration alluded to is to be taken by parents who desire to register a birth more than sixty days after it has occurred. In the opinion that the declaration is useless I entirely agree, but I must be permitted to doubt whether the infliction of a penalty for not having registered the birth in proper time is not more likely to end in its never being registered, than in the parents voluntarily coming forward to confess their neglect and to pay for it; while from those parents who are willing to register, but have been prevented by distance or other untoward circumstances, it would be hardly right to exact a fine. I think, however, that the intention of the Act to make registration imperative is not clearly enough enunciated, and the penalty incurred by neglect might perhaps be made of more effect by giving one-half the penalty recovered to the informer.

7. It is much to be regretted that there should exist among the uneducated, particularly in the country districts, such an aversion to register either birth or death, in spite of the best exertions of the District Registrars, of whose general activity and intelligence I desire to make most favourable mention, it interferes sadly with the correctness of these returns. Its very absurdity only makes it more difficult to combat by reason or argument, but there is little doubt that time, the spread of education, and the examples and persuasions of those who more truly appreciate both the public and the private benefit conferred by correct statistical returns, and reliable official means of tracing descent, inheritance, or relationship, will ultimately overcome it.

8. The best thanks of the community are due to those medical gentlemen who have been kind enough to supply certificates of the cause of death; the information thus obtained is very valuable, and it is earnestly desired that they will continue to give their assistance to make the Nosological Tables as complete as possible. In reply to those gentlemen who do not approve (some in one respect some in another) of the particular classification of disease employed in the following tables, I would observe that, admitting it not to be as correct or perfect as it should be, it is nevertheless the classification used throughout Great Britain, New South Wales, and Victoria, having been adopted and arranged by one of the first Nosologists of the present day; and that to depart from it to suit the ideas of individual medical gentlemen, would be to sacrifice the great and certain advantage of an unity of classification to the vain hope of drawing up a form that would please all, the subject being one in which perfect unanimity is impossible. I hope that the medical profession in Queensland will admit that there is some force in this argument, and cordially assist "even in opposition to their individual ideas of classification," in perfecting tables which will hereafter supply such valuable information to their body, although perhaps not exactly given in the form each thinks best. That there is plenty of room for improvement is evidenced by the fact that one-seventh of all deaths in the country are unspecified. So much importance is "in the Colony of South Australia" attached to these certificates, that they have been made the subject of legal enactment, and a heavy penalty imposed on their omission.

9. The population of the Colony, which forms an important element in many of the deductions and comparisons for which the following tables furnish materials (*vide* appendix O), can only be an approximation, and the number is arrived at by adding to the population as given by the last Census, the annual increase arising from immigration, from excess of births over deaths, from the excess of arrivals over departures by the coast; these returns would have given no doubt, a close approximation to the truth, had it not been for the sudden violent rush of population to the Rockhampton Gold-fields. The permanent increase arising from this cause can only be guessed at, whilst of the proportion of the sexes, of the ages, occupations, locations, &c., &c., of the population, but a very vague guess can be made. The approaching Census will probably supply many deficiencies, and correct many inaccurate assumptions.

10. I have considered it desirable, in this First Annual Report, to include some particulars shewing the results of former registrations for each year, from the commencement of the system, to render as comprehensible as possible the data for future calculations. The Records in this office, owing to its having till the Day of Separation been only a branch office, do not permit those particulars to be as varied or as full as I should have desired to make them.

11. In framing and compiling the tables annexed to this report, I have followed the general plan and forms adopted by the Registrar-General of New South Wales, for I believe that in statistics, novelty, unless attended by decided improvement, is rather to be avoided than sought after. A few more items of comparison between the Vital Statistics of Queensland and of New South Wales, which suggested themselves as likely to be useful have been added, and I should have been glad to have extended them to other countries had I been provided with the necessary books or works of reference; this deficiency will, I hope, be supplied before long.

12. All the Records of the Colony are in my custody, and I think I should do wrong if I was to close this Report without observing that my Offices are not safe places of custody for so many valuable documents, that they do not afford sufficient accommodation for the persons daily employed in them, and are so scattered and divided as to cause considerable inconvenience and loss of time.

13. With these few introductory remarks, which I hope may not seem out of place, I will proceed to some explanation of the Tables, and of the more striking results they bring to light.

BIRTHS.

A.

1. TABLE A, compiled from the Annual Reports published by the Registrar-General of New South Wales, gives the number of Births registered in each district of the Colony of Queensland during the years 1857, 1858, and 1859, to the 30th November inclusive, (*i.e.* previous to our separation from New South Wales.)

DISTRICTS.	1857.			1858.			1859, to 30th November.			GRAND TOTAL.
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
Brisbane	151	125	276	152	159	311	183	168	351	938
Ipswich	115	115	230	172	170	342	134	120	254	826
Warwick	31	38	69	38	46	84	42	49	91	244
Drayton	29	35	64	39	43	82	55	47	102	248
Dalby	13	19	32	33	32	65	28	30	58	155
Condamine	6	8	14	2	1	3	10	10	20	37
Gayndah	11	14	25	21	12	33	18	15	33	91
Maryborough	17	11	28	21	20	41	22	19	41	110
Port Curtis	8	9	17	9	5	14	8	6	14	45
Rockhampton	5	8	13	13
TOTAL	381	374	755	487	488	975	505	472	977	2707

From this it appears that between the 1st January, 1857, and the 30th November, 1859, there were 2,707 births registered; 1,373 males, and 1,334 females, or 103 males to 100 females. In England in 1855 the proportion was 104 males to 100 females. The same law holds good throughout the world, the proportion of males born is always greater than of females.

B.

2. TABLE B shows the number of Births registered during the month of December, 1859, and the year ended 31st December, 1860, that is to say since the foundation of the Colony.

DISTRICTS.	December, 1859.			1860.			GRAND TOTAL.
	Males.	Females.	Total.	Males.	Females.	Total.	
Brisbane	12	21	33	209	173	382	415
Ipswich... ..	11	9	20	167	163	330	350
Warwick.	6	6	12	63	61	124	136
Drayton..	6	5	11	49	61	110	121
Dalby	2	5	7	40	43	83	90
Condamine	0	1	1	15	16	31	32
Gayndah	0	1	1	39	20	59	60
Maryborough	3	2	5	22	20	42	47
Taroom... ..	0	0	0	6	4	10	10
Port Curtis	2	0	2	7	5	12	14
Rockhampton	0	0	0	29	24	53	53
TOTAL	42	50	92	646	590	1,236	1,328

Between 1st January, 1857, therefore, and the 31st December, 1860, there have been 4035 births; 2061 males, 1974 females, or 106 males to 100 females. During 1860 the proportion of males born to that of females was very great, being 109 males to 100 females.

MARRIAGES.

C.

1. TABLE C shews the number of Marriages registered in the Colony of Queensland, (exclusive of Brisbane) during 1857, 1858, and 1859 to the 30th November, to have been 374.

DISTRICT.						1857.	1858.	1859 to 30th November	TOTAL.
Ipswich	58	63	50	171
Warwick	9	22	16	47
Drayton	10	22	22	54
Dalby	5	7	8	20
Condamine	2	2	2	6
Gayndah	9	6	8	23
Maryborough	13	8	13	34
Taroom	0	0	0	0
Port Curtis	5	2	5	12
Rockhampton	0	2	5	7
Total ...						111	134	129	374

With regard to these Marriages no information can be given of the rites according to which they were celebrated, or of the number, of those thus married, who signed with a mark, they having taken place previous to Separation, and no records existing in this office.

D.

2. TABLE D gives the number of Marriages celebrated at Brisbane from the 1st March, 1856, to the 30th December, 1860, from which we learn that there were 340 Marriages, or 680 persons married, The Rites also according to which they were solemnized are stated.

Rites according to which solemnized.					1st March, 1856.	1857.	1858.	1859.	1860.	TOTAL.
Church of England	21	15	17	18	19	90
Roman Catholic	14	10	15	19	13	71
Presbyterian	12	11	12	6	9	50
Wesleyan Methodist	9	9	5	13	8	44
Independent	3	..	2	10	10	25
Baptists	8	9	17
Lutheran	2	4	9	4	3	22
Registrar's Office	4	1	7	7	2	21
TOTAL ...					65	50	67	85	73	340

3. In England the number of persons signing the Marriage Registers with marks, as compared with those signing their names in full, is taken as a tolerably correct test of the state of education. The subjoined table (E) therefore has been compiled, shewing the number of males and females who, out of those 680 married, (as stated above) signed with a mark.

E.

RETURN of those who signed with a mark.

	1856.		1857.		1858.		1869.		1860.		Total.		Grand Total.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Church of England	4	7	3	4	2	7	2	3	2	5	13	26	39
Roman Catholic ...	4	12	3	8	2	6	3	6	0	4	12	36	48
Presbyterian ..	2	3	...	1	1	4	3	8	11
Wesleyan Methodist	1	3	...	2	1	4	...	1	2	10	12
Independent ...	1	1	1	1	2	3
Baptist	1	1	1	1	2
Lutheran	1	1	1
Registrar's Office ...	1	1	1	1	...	1	3	2	5
TOTAL ...	13	24	6	16	6	20	6	15	3	12	35	86	121

From this it appears that out of 680 persons married, 121 or 17·79 per cent. signed with a mark.

It will be observed that more females than males made a mark. Of females the per centage is 25·29 whereas of males the per centage is only 10·29. In England in 1855 the per centage of males who made use of the mark was 24·5, and of females 41·2.

Several reasons have been given to account for this difference of education between the sexes, but none seems satisfactory, and probably no single cause can be assigned, but a combination of circumstances most likely brings about the result.

4. 5. The next two Tables (F and G) show the number of Marriages Registered in the Colony of Queensland, (except in Brisbane), during the month of December, 1859, and the year 1860, and of the persons married, the number who made a mark.

F.

MARRIAGES Registered in Queensland, (except at Brisbane), during the month of December, 1859 and 1860.

		Ipswich.	Drayton.	Warwick.	Dalby.	Condamine.	Gayndah.	Maryborough.	Taroom.	Port Curtis.	Rockhampton.	Total.
Church of England	18	9	1	2	1	2	1	34
Roman Catholic	25	2	1	1	3	32
Presbyterian	7	5	14	1	1	5	1	34
Wesleyan Methodist	24	...	2	26
Independent	2	12	...	1	15
Baptist	1	4	5
Lutheran	0
Registrar's Office	2	3	3	4	2	11	10	4	1	7	47
TOTAL	79	31	21	8	4	19	17	4	1	9	193

G.

RETURN of Males and Females, out of the 386 married, who signed with a mark.

	Ipswich.		Drayton.		Warwick.		Dalby.		Condamine.		Gayndah.		Maryborough.		Taroom.		Port Curtis.		Rockhampton.		Total.		GRAND TOTAL.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Church of England	2	3	1	3	1	1	4	7	11	
Roman Catholic ...	10	12	1	1	1	11	14	25	
Presbyterian	2	3	3	6	1	1	1	6	11	17	
Wesleyan Methodist	2	7	1	1	3	8	11	
Independent	1	1	4	1	1	6	7	
Baptist	
Lutheran	
Registrar's Office ...	1	1	...	1	1	2	1	4	...	2	2	3	2	7	1	2	8	22	30	
Total	...	15	24	5	12	5	9	2	6	0	3	3	5	2	7	1	0	0	0	0	2	33	68	101

Thus the number of Marriages was 193, i.e. 386 persons were Married, and out of those 101 signed with a mark, or 29·16 per cent., about 9 per cent. more than in Brisbane, as might have been expected. The better educated class of mechanics and laborers remain in the City, whilst the less educated go into the interior. From the above we find that the average per centage of those Married who sign with a mark in the whole Colony is 21·97. In England it was in 1855 32·8, about 11 per cent. more than in Queensland.

DEATHS.

1. The number of Deaths Registered in each district during the years 1857, 1858, and 1859 to the 30th November, was, Males 682, Females 303, total 985, as is shewn in Table H.

H.

DISTRICT.	1857.			1858.			1859, to November 30.			GRAND TOTAL.
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
Brisbane ...	65	42	107	69	38	107	68	39	107	321
Ipswich ...	67	36	103	53	27	80	52	33	85	268
Warwick ...	11	4	15	22	6	28	12	3	15	58
Drayton ...	18	7	25	33	11	44	27	4	31	100
Dalby ...	15	5	20	19	4	23	13	7	20	63
Condamine...	5	...	5	6	1	7	5	2	7	19
Gayndah ...	12	3	15	32	3	35	14	3	17	67
Maryborough	16	5	21	8	6	14	35
Taroom	0
Port Curtis	7	1	8	10	3	13	3	3	6	27
Rockhampton	15	5	20	5	2	7	27
	200	98	298	275	103	378	207	102	309	985

2. Between 1st December, 1859, and the 31st December, 1860, 500 Deaths have been Registered, 334 males, 166 females. The following Table J shews the number of Deaths in each District during that period.

					Month of December 1859.		1860.		TOTAL.
					Males.	Females.	Males.	Females.	
Brisbane	4	3	89	59	155
Ipswich	3	3	56	36	98
Warwick	1	1	36	17	55
Drayton	1	1	31	11	44
Dalby	19	14	33
Condamine	...	:	14	6	20
Gayndah	1	..	21	3	25
Maryborough	2	...	9	6	17
Taroom	6	1	7
Port Curtis	1	7	...	8
Rockhampton	1	...	33	4	38
					13	9	321	157	500

Hence it will be seen that in four years 1,485 Deaths have occurred, whereas 4,035 Births have taken place, there has therefore been an increase of 2,550, or about 2·9 per cent. per annum, estimating the average population during the four years at 22,000 In England, according to calculations extending over a period of 151 years, the average increase per cent. per annum is about 1·11.

In Sydney the mortality amongst children is very great, the average per centage of Deaths on the whole number of Deaths recorded, of children under five years of age during four years being 46·21; and according to the Statistical Register of South Australia for 1859, the Deaths of children under two years of age were 53·8 per cent. of the whole Deaths in that Colony.

3. The Table K below shows the difference between the per centage of Deaths under 2 years and 5 years on the total number of Deaths Registered at Brisbane and Sydney during the period commencing 1st March, 1856, and ending 31st December, 1859, and it appears to be slightly in favor of Brisbane, it is however a melancholy fact, and deserving of most serious consideration, that out of every 100 persons who die more than 43 die before they arrive at the age of 5 years, and it is but a poor consolation to know that about 3½ per cent. more die in Sydney than in Brisbane under the age of two years, and 3 per cent. more under the age of five years.

						K.	
		1856.	1857.	1858.	1859.	Average per centage.	
		Per centage under 2 years.	Per centage under 2 years.	Per centage under 2 years.	Per centage under 2 years.		
Brisbane	...	31·25	41·12	36·44	32·54	35·33	
Sydney	...	35·53	38·57	41·46	39·75	38·82	
		Per centage under 5 years.	Per centage under 5 years.	Per centage under 5 years.	Per centage under 5 years.		
Brisbane	...	41·25	49·53	41·12	41·22	43·28	
Sydney	...	40·75	44·49	51·54	48·08	46·21	

4. Table L compares the relative proportions of Births to Deaths in the towns of Brisbane and Sydney, and we perceive that it is largely in our favour. Whether we should compare well with Great Britain, I am unable to say, from a want of Statistical works of reference; but I trust this deficiency may soon be supplied so that hereafter many comparisons may be drawn, both interesting and useful.

L.					
TABLE comparing the proportion of Births to Deaths in Brisbane and Sydney.					
BRISBANE.					
During the years.	No. of Births.	No. of Deaths under 2 years.	Per centage.	No. of Deaths under 5 years.	Per centage.
1856.	234	25	10·63	33	14·10
1867.	276	45	16·30	53	19·20
1858.	311	39	12·53	44	14·14
1859.	384	37	9·63	47	12·23
Average per centage			12·27		14·91

SYDNEY.					
During the years	No. of Births.	No. of Deaths under 2 years.	Per centage.	No. of Deaths under 5 years.	Per centage.
1856.	1551	398	25·66	445	28·69
1857.	2272	508	22·36	586	25·79
1858.	2266	683	30·14	849	37·51
1859.	2378	559	23·50	676	28·42
Average per centage			25·41		30·10

In the large mortality in Sydney we clearly see the evil effects, even in these salubrious climates, of a condensed population unprovided with the essential safeguards to health, viz. effective sewerage and abundance of pure water. It is earnestly to be hoped that early steps may be taken to guard this town from a like lamentable expenditure of human life.

5. The following comparison (M) between the causes of Deaths Registered at Sydney, and those Registered at Brisbane during the years 1857, 1858, and 1859, may, I hope, prove beneficial.

M.									
CAUSES OF DEATH.									
		1857.		1858.		1859.		Average per centage at Sydney.	Average per centage at Brisbane.
		Per centage on No. registered at Sydney.	No. at Brisbane.	Per centage on No. registered at Sydney.	No. at Brisbane.	Per centage on No. registered at Sydney.	No. at Brisbane.		
1	Zymotic Diseases	11·46	22·42	20·52	13·08	21·55	10·52	17·84	15·34
	<i>Sporadic Diseases.</i>								
2	Of Uncertain Seat	15·48	8·41	13·23	21·49	15·86	19·29	14·85	16·39
3	Of Nervous System	17·69	16·82	16·81	16·82	18·63	14·03	17·71	15·69
4	Of Respiratory System ...	15·56	14·01	16·21	14·95	12·73	17·54	14·83	15·50
5	Of Circulatory System ...	3·64	5·60	2·67	4·67	3·05	3·50	3·12	4·59
6	Of Digestive Organs.....	17·38	13·08	14·32	6·54	12·37	15·78	14·69	11·80
7	Of Urinary Organs	0·30	0·93	0·54	1·86	0·56	1·75	0·46	1·51
8	Of Generative Organs ..	1·15	..	0·97	..	1·06	1·75	1·06	0·58
9	Of Locomotive Organs ..	1·13	..	0·66	..	0·42	0·57	0·73	0·29
10	Of Integumentary System	0·68	0·93	0·18	..	0·42	..	0·42	0·31
11	Of Old Age	2·65	1·86	3·09	1·86	3·20	0·87	2·98	1·53
12	External Causes	7·44	14·95	6·43	16·82	7·68	12·28	7·18	14·68
	Unspecified.....	5·01	0·93	4·31	1·86	2·41	1·75	3·91	1·51

It would at present be premature to attempt to arrive at any definite conclusion from the above Table, yet, if a similar comparison be made every year, it is confidently believed that after a lapse of time much useful information may be obtained. Thus the number of Deaths from Zymotic Diseases appears to be slightly less here than in Sydney; if a like result be found every or nearly every year we may fairly conclude that those residing in this district are more free from inflammatory diseases than those living in Sydney.

A strict attention to drainage and proper sanatory regulations, before the City has been much built over, and whilst the population is comparatively small, will conduce to keep down the per centage of Deaths from this class of diseases.

It may seem strange that the average number of Deaths from Diseases of the Respiratory System should be greater here than in Sydney, but when it is remembered that many come here from other places in the last stage of Consumption, the fact is easily accounted for.

The number of Deaths in this District from drowning and other accidents must appear to all as very great, double the number of those in Sydney; what reason to give, I know not. I should expect to find a great difference between Queensland and Great Britain, since accidents are more likely to occur in a new than an old country; but why there should be such a difference between Brisbane and Sydney is not apparent.

6 This Table (N) has been made for the purpose of shewing the difference of mortality during the four quarters of the year. So far as the district of Brisbane is concerned the first and last quarters seem to be the least healthy, and the third is a shade less healthy than the second: but a long period will probably be required for investigation to discover any decided difference between these two. That the first three months of the year are the most sickly, is an opinion generally entertained, and Statistics verify its truth.

N.									
Deaths Registered at Brisbane during	1857.		1858.		1859.		1860.		Total.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
1st Quarter	22	16	18	16	18	13	18	21	142
2nd Quarter.....	11	4	19	7	20	10	24	10	105
3rd Quarter.....	19	16	12	9	12	11	20	7	106
4th Quarter	13	6	20	6	22	8	26	22	123
	65	42	69	38	72	42	88	60	476

In the Apendix will be found an analysis of the Deaths Registered at Brisbane since the commencement of Registration, and also of those Registered in Ipswich and the other parts of the Colony during 1860.

I have the honor to be,
Sir,
Your obedient servant,

F. O. DARVALL,
REGISTRAR-GENERAL.

APPENDIX.

1.

SUMMARY of DEATHS of MALES, Registered in BRISBANE, from 1st March to 31st December, 1856.

CAUSES OF DEATH.		Under 1 year.											Total under 5 years											Total	Per Centage on Total Deaths.																								
		1 to 2		2 to 3		3 to 4		4 to 5		5 to 10		10 to 15		15 to 20		20 to 25		25 to 30		30 to 35		35 to 40				40 to 45		45 to 50		50 to 55		55 to 60		60 to 65		65 to 70		70 to 75		75 to 80		80 to 85		85 to 90		90 to 95		95 to 100	
1. Zymotic Diseases.....		5	1	6	..	1	1	8	18·60				
<i>Sporadic Diseases.</i>																																																	
2. Of Uncertain Seat.....		3	3	1	6	13·95				
3. Of Nervous System.....		1	..	2	3	3	3	6·97					
4. Of Respiratory System.....		2	2	3	1	11	11	25·58					
5. Of Circulatory System.....		1	0	..				
6. Of Digestive Organs.....		1	0	..				
7. Of Urinary Organs	1	1	2·33					
8. Of Generative Organs.....		0	..					
9. Of Locomotive Organs.....		0	..					
10. Of Integumentary System.....		2	4·65					
11. Old Age.....		1	0	..				
12. External Causes.....		1	..	1	..	1	2	6	13·95				
Unspecified	1	2	4·65					
Total from all Causes		9	1	2	12	1	1	2	3	4	5	2	2	4	4	1	1	1	43	99·98																	

2.

SUMMARY of DEATHS of FEMALES, Registered in BRISBANE, from 1st March to 31st December, 1856.

CAUSES OF DEATH.		Under 1 year.										Total under 5 years.										Total	Per Centage on Total Deaths.																								
		1 to 2		2 to 3		3 to 4		4 to 5		5 to 10		10 to 15		15 to 20		20 to 25		25 to 30		30 to 35					35 to 40		40 to 45		45 to 50		50 to 55		55 to 60		60 to 65		65 to 70		70 to 75		75 to 80		80 to 85		85 to 90		90 to 95
1. Zymotic Diseases.....		4	1	2	1	..	8	1	..	1	1	11	28·94		
<i>Sporadic Diseases.</i>																																															
2. Of Uncertain Seat.....		4	1	1	6	1	9	23·68		
3. Of Nervous System		2	2	1	5	6	15·78		
4. Of Respiratory System	2	1	3	7·89	
5. Of Circulatory System.....		0	..	
6. Of Digestive Organs.....		1	1	2	3	7·89	
7. Of Urinary Organs	0	..		
8. Of Generative Organs.....		0	..		
9. Of Locomotive Organs.....		0	..		
10. Of Integumentary System....		0	..		
11. Old Age.....		0	..	
12. External Causes		1	1	4	5	13·15	
Unspecified	1	1	1	1	2·63	
Total from all Causes		12	4	4	1	1	22	1	1	1	1	6	2	2	1	1	38	99·96		

3.

SUMMARY of DEATHS of BOTH SEXES, Registered in BRISBANE, from 1st March to 31st December, 1856.

CAUSES OF DEATH.	Under 1 year.											Total under 5 years											Total of all Ages		Grand Total	Per Centage on Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	1 to 2		2 to 3		3 to 4		4 to 5		5 to 10		10 to 15		15 to 20		20 to 25		25 to 30		30 to 35		35 to 40		40 to 45				45 to 50		50 to 55		55 to 60		60 to 65		65 to 70		70 to 75		75 to 80		80 to 85		85 to 90		90 to 95		95 to 100		?																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males			Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males

4.

TABLE, shewing the actual Number of DEATHS of MALES and FEMALES, in each Class, Registered in BRISBANE, during each of the Ten Months from 1st March to 31st December, 1856, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.			
1. Zymotic Diseases.....	2	1	1	2	2	1	1	1	..	1	1	2	2	..	2	8	11	19	23.75
<i>Sporadic Diseases.</i>																												
2. Of Uncertpin Seat.....	1	1	..	1	1	1	1	1	1	1	1	2	1	2	6	9	15	18.75
3. Of Nervous System.....	3	..	1	..	1	..	1	..	2	..	1	1	3	6	9	11.25	
4. Of Respiratory System	2	1	1	..	1	..	1	..	1	2	2	..	2	1	11	3	14	17.50	
5. Of Circulatory System.....	1	2	1	4	0	4	5.00
6. Of Digestive Organs.....	1	..	1	1	0	3	3	3.75	
7. Of Urinary Organs	1	..	1	0	1	0	1.25	
8. Of Generative Organs.....	0	0	0	..	
9. Of Locomotive Organs.....	0	0	0	..	
10. Of Integumentary System.....	1	1	2	0	2	2.50	
11. Old Age.....	1	0	0	0	..	
12. External Causes	2	1	1	2	1	..	2	1	1	6	5	11	12.50	
Unspecified	1	1	1	..	2	1	3	3	3.75	
Total from all Causes	3	4	5	1	4	7	5	6	4	4	6	..	4	2	3	2	5	6	4	6	43	38	81	99.00

5.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 4; Diarrhœa, 7; Dysentery, 4; Erysipelas, 1; Hooping Cough, 2; Thrush, 1.....	19
2	Atrophy, 2; Gradual Decay, 2; Debility, 3; Dropsy, 1; Marasmus, 5; Natural Causes, 1; Premature Birth, 1	15
3	Apoplexy, 1; Convulsions, 5; Tetanus, 1; Hydrocephalus, 2	9
4	Asthma, 1; Acute Bronchitis, 1; Consumption, 5; Gangrene of Lung, 1; Phthisis, 5; Pneumonia, 1.....	14
5	Aneurism, 1; Disease of Heart, 3	4
6	Chronic Disease of Liver, 1; Jaundice, 1; Worm Fever, 1	3
7	Bright's Disease, 1	1
10	Cancer, 1; Scurvy, 1	2
12	Accidental Drowning, 3; Exhaustion after Confinement, 1; Fall from Horse, 1; Fall of a Tree, 1; Intemperance, 1; Murdered, 1; Overdose of Tartar Emetic, 2; Want of Proper Nourishment, 1	11
	Unspecified, 3	3
	TOTAL	81

6.

SUMMARY of DEATHS of MALES Registered in BRISBANE, from 1st January to 31st December, 1857.

CAUSES OF DEATH.		Under 1 year.																								Total	Per Centage on Total Deaths.
		1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100		
1. Zymotic Diseases	4	1	1	1	1	8	1	..	1	1	1	12	18.46
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat	5	5	1	5	7.69
3. Of Nervous System.....	4	1	5	1	1	1	8	12.30
4. Of Respiratory System	1	1	2	1	1	2	1	1	9	13.84
5. Of Circulatory System	2	2	3	1	6	9.07
6. Of Digestive Organs	2	1	3	..	1	2	1	..	1	8	12.30
7. Of Urinary Organs	1	1	1	1	1.53
8. Of Generative Organs	0	0.00
9. Of Locomotive Organs	0	0.00
10. Of Integumentary System.....	1	1	1	1.53
11. Old Age.....	..	1	1	2	1	1	..	2	..	2	1	1	1	1	..	1	1.53
12. External Causes	2	13	20.00
Unspecified	1	1	1	1	1.53
Total from all Causes	18	5	2	1	2	28	2	1	2	6	2	3	5	1	6	4	2	1	2	65	99.78

7.

SUMMARY of DEATHS of FEMALES, Registered in BRISBANE, from 1st January to 31st December, 1857.

CAUSES OF DEATH.		Under 1 year.														Total	Per Centage on Total Deaths.											
		1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	?	Total	
1. Zymotic Diseases.....	4	5	..	1	1	11	1	12	28.57
<i>Sporadic Diseases.</i>																												
2. Of Uncertain Seat	2	2	1	1	4	9.52
3. Of Nervous System	6	1	7	1	1	1	10	23.80
4. Of Respiratory System	1	1	2	1	1	..	1	1	6	14.28
5. Of Circulatory System	1	1	0	0.00
6. Of Digestive Organs	1	1	1	3	1	..	1	1	6	14.28
7. Of Urinary Organs	0	0.00
8. Of Generative Organs	0	0.00
9. Of Locomotive Organs.....	0	0.00
10. Of Integumentary System.....	0	0.00
11. Old Age	1	1	1	2.38
12. External Causes	1	..	1	1	3	7.14
Unspecified	0	0.00
Total from all Causes	14	8	1	1	1	25	3	..	3	1	2	2	..	4	1	..	1	42	99.97

8.

SUMMARY of DEATHS of BOTH SEXES, Registered in BRISBANE, from 1st January to 31st December, 1857.

CAUSES OF DEATH.	Under 1 year										Total under 5 years															Total of all Ages	Grand Total	Per Centage on Total Deaths.		
	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35		35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100						
1. Zymotic Diseases	8	6	1	2	2	19	1	..	1	1	..	1	12	12	24	22.42	
<i>Sporadic Diseases.</i>																														
2. Of Uncertain Seat	7	7	1	1	4	5	9	8.4	
3. Of Nervous System	10	2	12	1	..	1	1	..	1	1	..	1	10	8	18	16.82	
4. Of Respiratory system	1	2	3	3	1	2	1	2	1	3	1	6	9	15	14.01	
5. Of Circulatory System	2	2	1	2	1	6	6	12	5.60
6. Of Digestive Organs	2	2	1	5	2	1	1	1	1	1	1	1	6	8	14	13.08	
7. Of Urinary Organs	1	1	1	1	2	0.93	
8. Of Generative Organs	0	0	0	0.00
9. Of Locomotive Organs	0	0	0	0.00
10. Of Integumentary System	1	1	1	2	0.93	
11. Old Age	2	1	3	2	1	..	2	..	2	..	1	1	1	1	1	2	3	13	16	1.86
12. External Causes	2	1	3	2	1	..	2	..	2	..	1	1	1	1	2	3	13	16	14.95
Unspecified	1	1	1	1	2	0.93	
Total from all Causes ..	31	14	3	2	3	53	6	2	3	7	3	6	5	5	7	4	2	1	1	2	42	65	107	99.94	

9.

TABLE, showing the actual Number of DEATHS of MALES and FEMALES, in each Class, registered in BRISBANE, during each of the Twelve Months from 1st January to 31st December, 1857, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	2	4	7	1	1	1	..	2	2	2	1	12	12	24	22 42	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	2	..	1	2	1	1	1	1	..	5	4	9	8 41	
3. Of Nervous System	3	1	1	1	1	1	1	1	1	..	2	1	..	1	1	1	..	1	8	10	18	16 82		
4. Of Respiratory System	1	2	..	2	1	..	3	2	1	..	1	1	2	..	9	6	15	14 01		
5. Of Circulatory System	1	1	1	1	3	..	6	0	6	5 60		
6. Of Digestive Organs	1	2	1	1	1	1	1	1	1	1	1	..	1	1	1	..	8	6	14	13 08	
7. Of Urinary Organs	1	1	0	1	0 93		
8. Of Generative Organs		
9. Of Locomotive Organs		
10. Of Integumentary System	1	..	1	1	..	1	0 93		
11. Old Age	1	1	1	1	2	1 86		
12. External Causes	1	..	1	..	1	2	1	1	..	2	..	3	..	1	2	1	13	3	16	14 95		
Unspecified	1	1	..	1	0 93		
Total from all Causes	6	3	8	9	8	4	1	..	4	2	6	2	8	5	5	6	6	4	2	2	5	3	7	1	65	42	107	99 44	

10.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Ague, 1; Diarrhœa, 3; Dysentery, 1; Fever, 1; Hooping Cough, 9; Measles and Hooping Cough, 6; Syphilis, 1; Typhus, 2	24
2	Anamia, 1; Asphyxia, 1; Atrophy, 3; Dropsy, 1; General Debility, 1; Marasmus, 1; Premature Birth, 1	9
3	Apoplexy, 1; Convulsions, 9; Hydrocephalus, 2; Inflammation of Brain, 2; Paralysis, 1; Puerperal Mania, 2; Tetanus, 1	18
4	Consumption, 7; Gangrene of Lung, 1; Phthisis, 4; Pneumonia, 2; Quinsy, 1	15
5	Aneurism, 2; Heart Disease, 3; Pericarditis, 1	6
6	Angina Aphosa, 2; Cancer of Stomach, 1; Hernia, 2; Irritation of Bowels, 1; Inflammation of Bowels, 2; Obstruction of Bowels, 1; Tubes Mesenterica, 1; Teething, 1; Ulceration of Intestines, 1; Worm Fever, 2	14
7	Stone, 1	1
10	Scrofulous Disease, 1	1
11	Old Age, 2	2
12	Burned, 1; Drowned, 6; Execution, 1; Intemperance, 3; Killed by the Fall of a Log, 1; Murdered, 3; Sun Stroke, 1	16
	Unspecified, 1	1
	Total	107

11.

SUMMARY of DEATHS of MALES, Registered in BRISBANE, from 1st January to 31st December, 1858.

CAUSES OF DEATH.															Total	Per Centage on Total Deaths.										
	Under 1 year.				Total under 5 years	2																				
	1 to 2	2 to 3	3 to 4	4 to 5		5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100		
1. Zymotic Diseases.....	2	..	2	..	4	1	2	1	..	1	9	13.04
<i>Sporadic Diseases.</i>																										
2. Of Uncertain Seat.....	9	9	1	1	1	..	1	13	18.83
3. Of Nervous System.....	4	2	6	1	7	10.14
4. Of Respiratory System.....	1	1	1	1	1	3	..	1	1	2	..	1	..	1	12	17.39
5. Of Circulatory System.....	1	..	1	2	3	4.34
6. Of Digestive Organs.....	1	1	2	4	5.79
7. Of Urinary Organs.....	1	1	1.44
8. Of Generative Organs.....	0
9. Of Locomotive Organs.....	0
10. Of Integumentary System.....	0
11. Old Age.....	2	2	2.89
12. External Causes.....	1	..	1	..	2	1	2	1	3	..	1	..	1	..	1	5	16	23.18
Unspecified.....	1	1	2	2.89
Total from all Causes.....	17	2	3	..	22	2	4	1	2	4	3	5	7	3	3	4	1	1	2	5	69	99.93

12.

SUMMARY of DEATHS of FEMALES, Registered in BRISBANE, from 1st January to 31st December, 1858.

CAUSES OF DEATH.		Under 1 year.										Total	Per Centage on Total Deaths.														
		1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30			30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100
1. Zymotic Diseases.....		3	1	4	1	5	13.15
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat.....		8	1	9	1	10	26.31
3. Of Nervous System.....		4	3	7	1	1	11	28.94
4. Of Respiratory System.....		3	..	1	1	1	4	10.52
5. Of Circulatory System.....		1	5	2	5.26
6. Of Digestive Organs.....		1	1	1	1	3	7.89
7. Of Urinary Organs.....		1	1	2.63
8. Of Generative Organs.....		0
9. Of Locomotive Organs.....		0
10. Of Integumentary System.....		0
11. Old Age.....		0
12. External Causes.....		1	..	1	..	1	1	2	5.26
Unspecified	0
Total from all Causes		13	7	1	..	22	1	2	..	1	4	3	2	..	1	..	1	1	38	99.96

13.

SUMMARY of DEATHS of BOTH SEXES, Registered in BRISBANE, from 1st January to 31st December, 1858.

CAUSES OF DEATH.	Under 1 year.													Total of all Ages			Per Centage on Total Deaths.
	1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years									Females	Males	Grand Total	
1. Zymotic Diseases.....	2	3	2	1	8	1	1	2	1	..	1	..	13.08
<i>Sporadic Diseases.</i>																	
2. Of Uncertain Seat.....	17	1	18	1	1	1	1	..	1	21.49
3. Of Nervous System.....	8	5	13	1	1	1	1	1	11	7	18	16.92
4. Of Respiratory System.....	1	1	1	1	1	6	..	1	2	2	4	12	16	14.95
5. Of Circulatory System.....	1	..	1	..	1	2	2	3	4.67
6. Of Digestive Organs.....	1	1	..	1	1	..	1	3	4	7	6.54
7. Of Urinary Organs.....	1	1	..	2	1	1	2	1.86
8. Of Generative Organs.....	0	0	0
9. Of Locomotive Organs.....	0	0	0
10. Of Integumentary System.....	0	0	0
11. Old Age.....	0	2	2	1.86
12. External Causes.....	1	2	..	3	1	1	1	1	2	..	1	2	..	5	2	16	16.82
Unspecified.....	1	1	0	2	2	1.86
Total from all Causes.....	30	9	4	1	44	3	5	1	3	8	5	6	10	4	3	5	99.95

14.

TABLE, shewing the actual Number of DEATHS of MALES and FEMALES, in each Class, Registered in BRISBANE, during each of the Twelve Months from 1st January to 31st December, 1858, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	2	1	2	..	1	..	1	1	1	1	1	1	..	1	..	9	5	14	13.08	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	2	3	1	..	1	2	1	..	1	..	1	1	1	..	1	3	3	..	1	1	13	10	23	21.49	
3. Of Nervous System	2	2	1	2	1	2	..	1	..	1	..	1	..	1	..	1	..	1	2	7	11	18	16.82		
4. Of Respiratory System.....	2	1	1	..	1	1	2	1	2	1	1	3	..	12	4	16	14.95	
5. Of Circulatory System	1	1	1	1	1	1	3	2	5	4.67	
6. Of Digestive Organs	1	1	1	2	1	..	1	4	3	7	6.54		
7. Of Urinary Organs.....	1	1	..	1	1	1	2	1.86		
8. Of Generative Organs	0	0	0	..		
9. Of Locomotive Organs	0	0	0	..		
10. Of Integumentary System	0	0	0	..		
11. Old Age	1	1	2	0	2	1.86		
12. External Causes.....	1	1	3	2	..	1	..	1	..	1	1	1	..	1	..	1	..	3	..	1	..	16	2	18	16.82		
Unspecified	1	1	2	0	2	1.86			
Total from all Causes.....	10	9	4	2	4	5	7	1	7	3	5	3	4	4	3	1	5	4	3	2	10	..	7	4	69	38	107	99.95	

15.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 2; Diarrhoea, 3; Dysentery, 2; Erysipelas, 1; Inflammation after Childbirth, 1; Scarlatina, 2; Scarlet Fever, 1; Syphilis, 2	14
2	Abcess of Loins, 1; Atrophy, 9; Carcinoma, 1; Dropsy, 1; Debility, 2; Hydrothorax, 1; Imperfect Respiration, 1; Malformation, 1; Marasmus, 2; Premature Birth, 4	23
3	Apop'lexy, 1; Congestion of Brain, 2; Convulsions, 9; Epilepsy, 2; Hydrocephalus, 2; Inflammation of Brain, 1; Tetanus, 1	18
4	Bronchitis, 1; Chest Affection, 1; Consumption, 8; Disease of Lungs, 1; Phthisis, 4; Pleurisy, 1	16
5	Disease of Heart, 3; Pericarditis, 2	5
6	Atresia Ani, 1; Disease of Liver, 1; Disease of Stomach, 2; Gastritis, 2; Tubercle of Liver, 1	7
7	Bright's Disease, 2	2
11	Old Age, 2	2
12	Asphyxia, 1; Burn, 2; Drowned, 11; Excessive Drinking, 1; Killed by Gunpowder, 1; Sunstroke, 1; Want of Proper Nourishment, 1	18
	Unspecified, 2	2
	TOTAL	107

16.

SUMMARY of DEATHS of MALES Registered in BRISBANE, from 1st January to 31st December, 1859.

CAUSES OF DEATH.	Under 1 year.												Total	Per Centage on Total Deaths.
	1	2	3	4	5	6	7	8	9	10	11	12		
1. Zymotic Diseases	3					3							6	8.33
<i>Sporadic Diseases.</i>														
2. Of Uncertain Seat	6					6							9	12.5
3. Of Nervous System.....	6	1	1			8							11	15.27
4. Of Respiratory System	1	1				2							16	22.22
5. Of Circulatory System													4	5.55
6. Of Digestive Organs	3					3	1						11	15.27
7. Of Urinary Organs													1	1.38
8. Of Generative Organs													0	0.00
9. Of Locomotive Organs													1	1.38
10. Of Integumentary System.....													0	0.00
11. Old Age.....													0	0.00
12. External Causes	1			1		2	1	1	3	3			13	18.05
Unspecified													0	0.00
Total from all Causes	20	2	1	1		24	2	1	2	3	10	5	72	99.95

17.

SUMMARY of DEATHS of FEMALES, Registered in BRISBANE, from 1st January to 31st December, 1859.

CAUSES OF DEATH.	Under 1 year.												Total	Per Centage on Total Deaths.
	1	2	3	4	5	6	7	8	9	10	11	12		
1. Zymotic Diseases.....	1				1	2							6	14.52
<i>Sporadic Diseases.</i>														
2. Of Uncertain Seat	9		2		11								13	30.95
3. Of Nervous System	2		1		4								5	11.90
4. Of Respiratory System			1		1								4	9.52
5. Of Circulatory System													0	0.00
6. Of Digestive Organs	2		1	1	4								7	16.66
7. Of Urinary Organs													1	2.38
8. Of Generative Organs.....													2	4.76
9. Of Locomotive Organs.....													0	0.00
10. Of Integumentary System.....													0	0.00
11. Old Age													1	2.38
12. External Causes													1	2.38
Unspecified	1				1								2	4.76
Total from all Causes	15		5	1	23		2		6	3	1	2	42	99.61

18.

SUMMARY of DEATHS of BOTH SEXES, Registered in BRISBANE, from 1st January to 31st December, 1859.

CAUSES OF DEATH.													Total of all Ages		Grand Total	Per Centage on Total Deaths.															
	Under 1 year	1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45			45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	2	Females	Males	
1. Zymotic Diseases	4	1	5	..	1	..	3	2	1	6	6	12	10.52	
<i>Sporadic Diseases.</i>																															
2. Of Uncertain Seat	15	..	2	17	1	1	..	1	..	1	..	1	..	1	1	13	9	22	19.29
3. Of Nervous System	8	1	2	..	1	12	..	1	1	1	..	2	1	..	1	5	11	16	14.03	
4. Of Respiratory System	1	1	1	3	2	4	1	4	1	2	1	..	1	..	1	1	4	16	20	17.54
5. Of Circulatory System	1	2	1	..	1	1	0	4	4	3.50
6. Of Digestive Organs	5	..	1	1	..	7	1	1	1	3	2	2	1	7	11	18	15.78	
7. Of Urinary Organs	1	..	1	..	1	1	1	2	1.75	
8. Of Generative Organs	1	1	2	0	2	1.75	
9. Of Locomotive Organs	1	1	1	1	0.87	
10. Of Integumentary System	1	0	0	0	0.00	
11. Old Age.....	1	1	0	1	0.87	
12. External Causes	1	1	..	2	1	..	1	1	3	3	1	1	1	1	13	14	12.28
Unspecified	1	1	1	2	0	2	1.75	
Total from all Causes ..	35	2	6	2	2	47	2	3	2	8	13	6	8	4	5	5	1	4	..	2	1	3	42	72	114	99.93

19.

TABLE, showing the actual Number of DEATHS of MALES and FEMALES, in each Class, registered in BRISBANE, during each of the Twelve Months from 1st January to 31st December, 1859, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	2	..	1	2	1	2	..	1	1	2	..	6	6	12	10.52	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	1	3	1	..	2	2	1	..	1	1	1	..	1	2	..	2	..	3	1	9	13	22	19.29	
3. Of Nervous System	1	1	2	3	..	3	2	1	1	1	1	2	11	5	16	14.03		
4. Of Respiratory System	2	2	1	1	1	2	1	2	..	2	..	2	..	3	..	1	..	16	4	20	17.54	
5. Of Circulatory System	1	..	1	2	4	0	4	3.50		
6. Of Digestive Organs	2	1	..	1	1	..	1	..	1	..	1	2	..	1	..	3	2	1	1	11	7	18	15.78	
7. Of Urinary Organs	1	1	1	1	2	1.75	
8. Of Generative Organs	1	..	1	1	0	2	2	1.75	
9. Of Locomotive Organs	1	1	0	1	0.87		
10. Of Integumentary System	0	0	0	0.0		
11. Old Age	1	0	1	1	0.87	
12. External Causes	1	..	2	1	1	..	2	..	1	..	3	2	..	1	13	1	14	12.28	
Unspecified	1	1	0	2	2	1.75	
Total from all Causes	7	6	6	1	5	6	7	3	4	3	9	4	4	5	5	2	3	4	10	3	8	2	4	3	72	42	114	99.93	

20.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhœa, 2; Dysentery, 1; Erysipelas, 1; Fever, 3; Hooping Cough, 1; Puerperal Fever, 1; Scarlet Fever, 2; Typhus Fever, 1.....	12
2	Atrophy, 7; Debility, 1; Dropsy, 1; Gangrene, 1; Marasmus, 10; Premature Birth, 2.....	22
3	Chorea, 1; Convulsions, 11; Disease of Brain, 2; Inflammation of Brain, 1; Hydrocephalus, 1	16
4	Cold in Chest, 1; Consumption, 7; Gangrene of Lung, 1; Inflammation of Lungs, 1; Phthisis, 5; Pleurisy, 1; Plueritis, 1; Pneumonia, 2; Quinsey, 1	20
5	Aneurism, 1; Heart Disease, 2; Pericarditis, 1	4
6	Bowel Complaint, 1; Cancer in Stomach, 1; Disease of Stomach, 1; Double Rupture, 1; Fecal Abcess, 1; Gastric Fever, 1; Gastritis, 1; Jaundice, 1; Liver Disease, 2; Mor-rification of Intestines, 1; Peritonitis, 1; Tabes Mesenterica, 1; Teething, 1; Ulceration of Rectum, 1; Ulceration of Stomach, 3	18
7	Bright's Disease, 1; Disease of Kidneys, 1.....	2
8	Rupture of Womb, 1; Uterine Abcess, 1	2
9	Caries, 1	1
10	Old Age, 1	1
12	Drowned, 7; Fracture of Skull, 1; Killed, 1; Murdered, 1; Neglect after Accouchement, 1; Overdose of Morphia, 1; Scalds, 2	14
	Unspecified, 2	2
	Total	114

21.

SUMMARY of DEATHS of MALES, Registered in BRISBANE, from 1st January to 31st December, 1860.

CAUSES OF DEATH.														Per Centage on Total Deaths.													
	Under 1 year.				Total under 5 years	2										Total											
	1 to 2	2 to 3	3 to 4	4 to 5		5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55		55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100		
1. Zymotic Diseases.....	9	5	1	..	15	2	..	1	2	..	1	..	1	22	24.71	
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat.....	8	3	11	1	1	..	1	1	1	16	17.97
3. Of Nervous System	7	7	1	2	10	11.23	
4. Of Respiratory System	1	1	2	4	3	5	4	1	1	19	21.34	
5. Of Circulatory System	1	1	..	1	4	4.49	
6. Of Digestive Organs.....	2	2	1	1	1	1	6	6.74	
7. Of Urinary Organs	0	
8. Of Generative Organs.....	0	
9. Of Locomotive Organs.....	0	
10. Of Integumentary System.....	0	
11. Old Age.....	0	
12. External Causes	1	1	..	1	2	2	3	1	11	12.35	
Unspecified	1	1	1	1.12	
Total from all Causes	27	10	2	..	39	3	..	2	7	6	7	3	5	..	1	4	1	2	89	99.95

22.

SUMMARY of DEATHS of FEMALES, Registered in BRISBANE, from 1st January to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year.											Total	Per Centage on Total Deaths.														
	1 to 2	2 to 3	3 to 4	4 to 5	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35			35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	
1. Zymotic Diseases.....	7	6	2	..	16	2	1	1	20	33.89	
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat.....	7	2	1	..	10	1	11	18.64	
3. Of Nervous System	3	1	4	1	1	1	1	7	11.86	
4. Of Respiratory System	1	1	1	1	1	..	1	1	6	10.16	
5. Of Circulatory System.....	1	1	1.69	
6. Of Digestive Organs.....	1	1	1	..	3	1	4	6.44	
7. Of Urinary Organs	1	0	
8. Of Generative Organs.....	1	1	2	2.38	
9. Of Locomotive Organs.....	0	
10. Of Integumentary System.....	0	
11. Old Age.....	0	
12. External Causes	1	1	2	..	5	..	1	..	1	1	..	1	8	13.55	
Unspecified	0	
Total from all Causes	19	12	6	..	23	1	1	2	1	3	3	2	2	3	2	59	99.61	

23.

SUMMARY of DEATHS of BOTH SEXES, Registered in BRISBANE, from 1st January to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year.											Total of all Ages			Per Centage on Total Deaths.																		
	1 to 2		2 to 3		3 to 4		4 to 5		Total under 5 years			Females	Males	Grand Total																			
	1	2	3	4	5	Total	1 to 10	10 to 15	15 to 20	20 to 25	25 to 30					30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	?			
1. Zymotic Diseases.....	16	11	3	..	1	31	2	1	2	2	2	..	1	1	20	22	42	28.37	
<i>Sporadic Diseases.</i>																																	
2. Of Uncertain Seat.....	15	5	1	21	1	1	1	..	1	..	1	..	1	1	11	16	27	18.24
3. Of Nervous System	10	1	11	1	1	1	1	2	..	1	7	10	17	11.48	
4. Of Respiratory System ..	1	2	3	1	5	4	5	5	1	6	19	25	16.89	
5. Of Circulatory System.....	1	1	1	1	1	1	..	1	1	1	4	5	3.37
6. Of Digestive Organs.....	3	1	1	5	1	1	1	1	1	4	6	10	6.75	
7. Of Urinary Organs	1	0	0	0	..	
8. Of Generative Organs.....	1	1	2	0	2	1.35	
9. Of Locomotive Organs.....	0	0	0	..	
10. Of Integumentary System.....	0	0	0	..	
11. Old Age.....	0	0	0	..	
12. External Causes	1	1	3	..	1	6	..	2	..	1	..	2	3	3	3	1	1	8	11	19	12.83
Unspecified	1	1	0	1	1	.67	
Total from all Causes	46	22	8	..	2	78	4	1	4	8	9	10	11	5	8	2	1	4	1	2	59	89	148	99.95	

24.

TABLE, shewing the actual Number of DEATHS of MALES and FEMALES, in each Class, Registered in BRISBANE, during each of the Twelve Months from 1st January to 31st December, 1860, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	3	5	1	2	1	3	3	1	..	2	2	1	2	1	1	1	3	2	5	1	1	1	22	20	42	28·37	
<i>Sporadic Diseases.</i>																													
2. Of Uncertpin Seat	1	..	1	1	1	..	1	..	5	2	2	1	2	2	..	1	1	..	3	..	3	16	11	27	18·24		
3. Of Nervous System	2	3	2	..	1	..	1	..	1	..	2	..	2	..	1	2	10	7	17	11·48			
4. Of Respiratory System.....	1	2	2	..	3	..	2	1	2	..	3	..	4	1	1	3	19	6	25	16·89		
5. Of Circulatory System	1	1	1	1	1	..	4	1	5	3·37			
6. Of Digestive Organs	2	2	..	1	1	1	..	1	1	1	6	4	10	6·75			
7. Of Urinary Organs.....	1	..	1	0	0	0	..			
8. Of Generative Organs	1	1	0	2	2	1·35			
9. Of Locomotive Organs	0	0	0	..			
10. Of Integumentary System	0	0	0	..			
11. Old Age	0	0	0	..			
12. External Causes.....	2	2	4	1	1	1	1	1	1	4	1	..	11	8	19	12·83			
Unspecified	1	..	1	0	1	..			
Total from all Causes.....	6	7	11	8	2	5	11	2	6	4	7	4	10	..	3	5	7	2	9	3	12	12	5	7	89	59	148	99·95	

25.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Bilious Fever, 1; Blood Poisoned by Animal Matter, 1; Croup, 2; Diarrhœa, 11; Diarrhœa and Hooping Cough; Fever, 6; Fever, followed by Dysentery, 1; Gastric Fever, 4; Hooping Cough, 7 Influenza, 2; Measles, 4; Thrush, 2	42
2	Abcess, 1; Atrophy, 9; Decline, 1; Dropsy, 2; Malformation, 3; Marasmus, 8; Natural Causes, 1; Premature Birth, 1; Weakness of Lungs, 1	27
3	Apoplexy, 2; Brain Fever, 1; Congestion of Brain, 3; Convulsions, 8; Fits, 1; Paralysis, 1; Puerperal Mania, 1	17
4	Asthma, 1; Cold on the Lungs, 1; Consumption, 17; Phthisis, 4; Pneumonia, 1; Bronchitis, 1	25
5	Aneurism, 1; Disease of Heart, 2; Enlargement of Heart, 1; Hypertrophy of Heart, 1	5
6	Cancer in Stomach, 1; Gangrene of Scrotum, 1; Hernia, 1; Inflammation of Bowels, 2; Jaundice, 1; Liver Complaint, 1; Teething, 3	10
8	Amenorrhœa, 1; Disease of Uterus, 1	2
12	Burned, 3; Drowned, 3; Excessive Drinking, 1; Execution, 1; Exhaustion after Childbirth, 1; Exposnre to Sun, 4; Fall from a Horse, 1; Injury to Head, 11; Suicide, 3; Thrown from a Dray, 1	19
	Unspecified, 1	1
	TOTAL	148

26.

SUMMARY of DEATHS of MALES Registered in IPSWICH, from 1st January to 31st December, 1860.

CAUSES OF DEATH.		Under 1 year.											Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	?	Total	Per Centage on Total Deaths.
		Under 1 year.	1 to 2	2 to 3	3 to 4	4 to 5																													
1. Zymotic Diseases		3	3	6	1	7	12.5			
<i>Sporadic Diseases.</i>																																			
2. Of Uncertain Seat		3	3	1	1	5	8.92			
3. Of Nervous System		7	2	..	1	10	1	..	1	..	1	1	13	23.21				
4. Of Respiratory System		1	1	1	..	1	..	1	..	1	..	2	5	5.35				
5. Of Circulatory System		1	4	1	..	1	..	1	2	5	8.92				
6. Of Digestive Organs		1	2	..	1	4	1	1	..	1	1	6	10.71				
7. Of Urinary Organs	0	..				
8. Of Generative Organs	0	..				
9. Of Locomotive Organs	1	1	0	..				
10. Of Integumentary System	1	1	1	1	1.78				
11. Old Age	1	1.78				
12. External Causes		1	1	1	3	2	..	2	1	1	2	1	2	..	1	1	15	26.78			
Unspecified	0	..				
Total from all Causes		16	7	..	3	2	28	2	..	2	2	1	1	2	3	5	4	1	2	2	2	1	56	99.95			

27.

SUMMARY of DEATHS of FEMALES, Registered in IPSWICH, from 1st January to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year.																	Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	?	Total	Per Centage on Total Deaths.																					
	1 to 2	2 to 3	3 to 4	4 to 5																																																									
1. Zymotic Diseases.....	2	3	2	..	7	1	..	1	1	10	27.77																													
<i>Sporadic Diseases.</i>																																																													
2. Of Uncertain Seat	3	..	1	..	4	1	..	1	1	6	16.66																												
3. Of Nervous System	7	1	8	1	1	1	10	27.77																													
4. Of Respiratory System	1	..	1	2	5.55																													
5. Of Circulatory System	1	1	2.77																													
6. Of Digestive Organs	2	..	1	..	3	1	4	11.11																													
7. Of Urinary Organs	0	..																													
8. Of Generative Organs.....	1	1	2.77																													
9. Of Locomotive Organs.....	0	..																													
10. Of Integumentary System....	0	..																													
11. Old Age	0	..																													
12. External Causes	1	..	1	1	2	5.55																													
Unspecified	1	0	..																													
Total from all Causes	14	3	5	1	23	3	1	3	1	1	2	1	1	..	1	1	..	1	36	99.95																													

28.

SUMMARY of DEATHS of BOTH SEXES, Registered in IPSWICH, from 1st January to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year																			Total under 5 years	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	?	Total of all Ages		Grand Total	Per Centage on Total Deaths.
	Under 1 year	1 to 2	2 to 3	3 to 4	4 to 5	Females	Males																																					
1. Zymotic Diseases	5	6	2	13	1	..	1	1	1	10	7	17	18.47										
<i>Sporadic Diseases.</i>																																												
2. Of Uncertain Seat	6	..	1	7	1	1	1	..	1	6	5	11	11.95									
3. Of Nervous System	14	2	..	2	..	18	2	1	1	..	1	1	10	13	23	25.00									
4. Of Respiratory System	1	1	1	1	1	..	1	..	1	3	2	3	5	5.43									
5. Of Circulatory System ..	1	1	1	1	..	1	3	1	5	6	6.52									
6. Of Digestive Organs	3	2	1	1	..	7	1	1	1	..	1	1	4	6	10	10.86									
7. Of Urinary Organs	0	0	0	..									
8. Of Generative Organs	1	1	0	1	1.08									
9. Of Locomotive Organs	0	0	0	..									
10. Of Integumentary System	1	1	0	1	1	1.08									
11. Old Age.....	0	1	1	1.08									
12. External Causes	1	..	1	1	1	4	2	2	1	1	..	1	..	1	2	1	2	..	1	2	1	2	15	17	18.47									
Unspecified	0	0	0	..									
Total from all Causes ..	30	10	5	4	2	50	2	5	3	4	2	4	4	6	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	36	56	92	99.94								

29.

TABLE, showing the actual Number of DEATHS of MALES and FEMALES, in each Class, registered in IPSWICH, during each of the Twelve Months from 1st January to 31st December, 1860, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	1	..	2	2	2	..	2	2	1	1	1	1	1	7	10	17	18.47	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	2	3	1	..	1	..	1	1	1	1	5	6	11	11.95	
3. Of Nervous System	2	2	1	2	1	1	2	2	1	1	1	3	..	1	..	1	2	13	10	23	25.00	
4. Of Respiratory System	1	1	1	1	1	1	1	1	..	1	..	1	3	2	5	5.43		
5. Of Circulatory System	1	1	1	1	..	1	..	1	5	1	6	6.52	
6. Of Digestive Organs	1	..	1	2	1	..	1	1	1	1	1	6	4	10	10.86		
7. Of Urinary Organs	
8. Of Generative Organs	1	1	1	1.08	
9. Of Locomotive Organs	1	
10. Of Integumentary System	1	1	..	1	1.08		
11. Old Age	1	1	..	1	
12. External Causes	1	2	3	..	2	1	2	3	..	1	2	..	15	2	17	18.47	
Unspecified	
Total from all Causes	7	6	5	8	10	4	1	5	8	4	4	1	4	2	5	2	5	..	2	1	5	3	56	36	92	99.94	

30.

No. Class of of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhoea, 2; Diptheria, 4; Dysentery, 5; Cholera, 1; Hooping Cough, 1; Influenza, 3; Inflammation after childbirth, 1	17
2	Atrophy, 2; Dropsy, 2; Premature Birth, 3; Natural Causes, 4	11
3	Apoplectic Fit, 1; Congestion of Brain, 1; Convulsions, 18; Epileptic Fits, 3	23
4	Consumption, 4; Pleurisy, 1	5
5	Aneurism, 3; Heart Disease, 2; Enlargement of Heart, 1	6
6	Cancer in Stomach, 1 Cramp in Stomach, 1; Disease of Liver, 1; Inflammation of Bowels, 1; Organic Disease of Stomach, 1; Teething, 5	10
8	Cancer of Womb, 1	1
10	Black Scurvy, 1	1
11	Old Age, 1	1
12	Burned, 1; Convulsions caused by Drink, 1; Crushed by a Dray, 4; Drowned, 4; Effects of Amputation of Leg, 1; Fall from a Horse, 1; and from a Bridge, 1; Found Dead, 1; Natural Causes induced by Intemperance, 1; Suicide, 1; Sun Stroke, 1	17
	Total	92

31.

SUMMARY of DEATHS of MALES, Registered in QUEENSLAND, (except at Brisbane or Ipswich), from 1st January to 31st December, 1860.

CAUSES OF DEATH.		Under 1 year.						Total under 5 years																Grand Total	Per Centage on Total Deaths.			
		1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15		15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90			90 to 95	95 to 100	
1. Zymotic Diseases		2	4	6	3	4	1	1	1	16	9.09	
<i>Sporadic Diseases.</i>																												
2. Of Uncertain Seat		17	1	18	2	2	1	..	3	2	4	1	33	18.76
3. Of Nervous System		6	1	7	..	1	1	1	2	1	13	7.38	
4. Of Respiratory System		4	4	1	1	1	1	2	1	2	1	16	9.09	
5. Of Circulatory System	2	1	1	2	2	..	3	2	8	4.54	
6. Of Digestive Organs		5	2	7	1	2	1	1	14	7.95	
7. Of Urinary Organs	1	1	..	55
8. Of Generative Organs	1
9. Of Locomotive Organs
10. Of Integumentary System	2	1	3	1.70	
11. Old Age	3	2	2	1	8	4.54	
12. External Causes		1	..	2	..	3	..	2	5	2	9	6	3	4	2	..	3	4	43	24.43
Unspecified		4	4	..	1	..	2	1	1	1	4	2	1	4	21	11.93	
Total from all Causes		39	8	2	..	49	..	1	3	6	8	19	19	16	11	11	4	11	2	2	..	2	12	176	99.96	

32.

SUMMARY of DEATHS of FEMALES, Registered in QUEENSLAND, (except at Brisbane and Ipswich,) from 1st January to 31st December, 1860.

CAUSES OF DEATH.		Under 1 year-											Total under 5 years		Grand Total	Per Centage on Total Deaths.											
		1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50			50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100	2
1. Zymotic Diseases	3	2	5	2	..	2	..	2	1	1	1	14	22.58
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat	3	..	1	4	..	1	..	1	..	1	1	8	12.90
3. Of Nervous System	9	2	11	11	17.74	
4. Of Respiratory System	2	2	1	3	4.83	
5. Of Circulatory System	
6. Of Digestive Organs	2	1	3	1	4	6.45	
7. Of Urinary Organs	
8. Of Generative Organs	1	1	..	1	3	4.83	
9. Of Locomotive Organs	
10. Of Integumentary System	1	1	1.61	
11. Old Age	1	
12. External Causes	1	3	4	1	1	6	9.67	
Unspecified	7	1	8	1	1	1	..	1	12	19.35	
Total from all Causes	26	6	1	1	3	37	4	2	6	2	3	2	2	1	2	1	62	99.96	

33.

SUMMARY of DEATHS of BOTH SEXES, Registered in Queensland, (except at Brisbane or Ipswich,) from 1st January to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year.																								Total under 5 years.	Total of all Ages				Grand Total	Per Centage on Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	1 to 2		2 to 3		3 to 4		4 to 5		5 to 10		10 to 15		15 to 20		20 to 25		25 to 30		30 to 35		35 to 40		40 to 45			45 to 50		50 to 55				55 to 60		60 to 65		65 to 70		70 to 75		75 to 80		80 to 85		85 to 90		90 to 95		95 to 100		?																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males		Females	Males	Females	Males			Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males		Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males

34.

TABLE, shewing the actual Number of DEATHS of MALES and FEMALES, in each Class, Registered in QUEENSLAND, (except in Brisbane and Ipswich,) during each of the Twelve Months from 1st January to 31st December, 1860, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE		JULY		AUG		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	1	4	1	1	2	1	1	3	2	1	2	1	2	2	..	1	2	1	1	16	14	30	12·60	
<i>Sporadic Diseases.</i>																													
2. Of Uncertpin Seat	5	4	..	3	..	2	3	2	1	3	1	2	1	4	1	1	1	5	..	2	..	33	8	41	17·22	
3. Of Nervous System	2	..	2	2	..	1	1	..	2	1	..	1	1	3	2	..	2	1	1	1	1	13	11	24	10·08		
4. Of Respiratory System....	3	1	1	..	1	1	2	..	2	1	4	2	..	1	..	16	3	19	7·98	
5. Of Circulatory System	1	..	1	1	..	1	..	2	2	..	8	0	8	3·36		
6. Of Digestive Organs	1	1	4	1	1	2	1	1	1	2	3	..	14	4	18	7·56	
7. Of Urinary Organs.....	1	1	..	1	..	·42	
8. Of Generative Organs	1	1	1	3	3	1·26	
9. Of Locomotive Organs	
10. Of Integumentary System	1	..	1	..	1	1	3	1	4	1·68	
11. Old Age	2	..	1	2	..	2	1	8	..	8	..	3·36	
12. External Causes.....	4	..	8	..	4	..	4	..	3	1	3	..	2	..	3	1	1	1	3	1	4	2	4	..	43	6	49	20·58	
Unspecified	4	4	4	3	1	..	2	..	1	2	2	6	..	2	2	21	12	33	..	13·86	
Total from all Causes....	20	1	18	6	20	7	13	2	13	11	12	4	12	10	10	4	19	4	12	5	14	5	13	3	176	62	238	..	99·96

35.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhoea, 3; Dysentery, 14; Fever, 3; Influenza, 4; Measles, 1; Puerperal Fever, 1; Rheumatic Fever, 1; Nervous Fever, 1; Pyaimia, 1; Typhus Fever, 1	30
2	Abcess, 1; Atrophy, 1; Debility, 14; Dropsy, 6; Decline, 3; Hæmorrhage, 2; Natural Causes, 5; Premature Birth, 3; Rupture of Blood Vessel, 2; Sudden Death, 2; Visitation of God, 1; Water of the Chest, 1	41
3	Convulsions, 15; Disease of Brain, 2; Fits, 2; Hydrocephalus, 2; Inflammation of Brain, 1; Paralysis, 1; Tetanus, 1	24
4	Asthma, 2; Bronchitis, 4; Consumption, 3; Inflammation of Lungs, 2; Malignant Sore Throat, 2; Pneumonia, 2; Phthisis, 2; Severe Cold, 2	19
5	Disease of Heart, 7; Pericarditis, 1	8
6	Chronic Gastritis, 1; Cramp in the Bowels, 1; Dentition, 7; Diseased Liver, 1; Enteritis, 1; Hernia, 1; Inflammation of Bowels, 4; Jaundice, 1; Peritonitis, 1	18
7	Disease of Kidneys, 1	1
8	Childbirth, 2; Syncope after Parturition, 1	3
10	Scurvey, 4	4
11	General Debility, 5; Poverty of Blood, 1; Old Age, 2	8
12	Drowned, 15; Burned, 5; Murdered, 5; Fall from a Horse, 4; Sun Stroke, 3; Starvation, 3; Killed by Blacks, 2; Accident, 2; Exposure, 2; Fracture of Skull, 1; Kick from a Horse, 1; Concussion of Brain, 1; Suicide, 1; Fall of a Tree, 1; Habitual Intemperance, 1; Crushed by a Dray, 1; Found Dead, 1	49
	Unspecified, 33	33
	TOTAL	238

RETURN of the Registration Districts, with the Names of the Persons holding
the Office of District Registrar.

METROPOLITAN DISTRICT.
The REGISTRAR GENERAL.

COUNTRY DISTRICTS.

IPSWICH.....	W. HENDREN, Storekeeper.
WARWICK.....	JONATHAN HARRIS, Postmaster.
DRAYTON	G. H. LOVEDAY, C.P.S.
DALBY	F. W. ROCHE, Storekeeper.
CONDAMINE	R. J. H. FOTHERINGHAM, C.P.S.
GAYNDAH	M. AIREY, C.P.S.
MARYBOROUGH	W. RICHARDSON, Schoolmaster.
TAROOM.....	R. W. DOUGLAS, C.P.S.
PORT CURTIS	J. S. POWE.
ROCKHAMPTON	F. N. BEDDEK, C.P.S.

O.

RETURN of Estimated Population of Queensland, from the Census of 1856 to 31st December, 1860 :—

	Males.	Females.	Total.
Population as per Census, 1st March, 1856	10,379	6,528	16,907
European Immigration.....	709	546	1,255
Excess of Births over Deaths	166	216	382
Population on 31st December, 1856	11,254	7,290	18,544
European Immigration	1,022	629	1,651
Excess of Births over Deaths.....	186	271	457
Population on 31st December, 1857	12,462	8,190	20,652
European Immigration.....	605	451	1,056
Excess of Births over Deaths	209	388	597
Population on 31st December, 1858	13,276	9,029	22,305
European Immigration.....	251	226	477
Excess of Births over Deaths during 11 months ...	298	370	668
Population on 30th November, 1859	13,825	9,625	23,450
European Immigration
Excess of Births over Deaths during December, 1859	29	41	70
Population on 31st December, 1859	13,854	9,666	23,520
European Immigration.....	260	203	463
Excess of arrivals over departures by coast during 1860	1,178	637	1,815
Excess of Births over Deaths	325	433	758
Probable increase from influx of population to Rockhampton in the years 1858 and 1859	1,200	300	1,500*
Total population on 31st December, 1860	16,817	11,239	28,056

* N.B.—This is only surmise, as there are no records.

P.

*Original Certificate of Marriage.*Christian and Surname
of Minister at full length.

I

being

Designation.

do hereby Certify that I have this day at

Church or place where
celebrated.

BRIDEGROOM.

duly celebrated Marriage between—

Christian and Surname
of Bridegroom at full
length.

Rank or Occupation.

Residence.

{ Condition, Bachelor }
or Widower. }

Age _____ years. Birthplace _____

Father's Name and Rank
or profession.Mother's Christian Name,
Maiden Surname.

Witnesses' Names.

before

and

Residence _____

Age _____ years.

and

BRIDE.

Christian and Surname of
Bride at full length.

Rank or Occupation.

Condition, Spinster or
Widow.

Birthplace.

Father's Name, Rank or
Profession.Mother's Christian Name,
Maiden Surname.

Witnesses' Names.

after Declaration duly made as by law required.

Dated this _____ day of _____ 186 .

Signature of parties to
the Marriage.Signatures of
Witnesses.Signature of
Minister.